Weston

Vertical Metal Storage Shed Assembly Guide





IMPORTANT: PLEASE REGISTER YOUR HEX LIVING PRODUCT BEFORE ASSEMBLY

Using the unique serial number, simply register your product at www.hexliving.co.uk to access and download the HEX Living lifetime warranty and video assembly instructions.

> Affix Serial Number HERE





PLEASE READ THIS DOCUMENT FULLY PRIOR TO STARTING ASSEMBLY PROCEDURE

The objective of this instruction is to illustrate the recommended assembly sequence for this product, any deviation from this will be the sole responsibility of whoever carries out the assembly.

IMPORTANT: IT IS ADVISABLE THAT THE PRODUCT IS ASSEMBLED AT, OR AS CLOSE AS POSSIBLE TO WHERE IT WILL BE FINALLY LOCATED

Ensure there is adequate clearance where the product is to be located:

Exterior dimensions including overhang (W x D x H)	1450 x 851 x 1846mm
Footprint dimensions (W x D)	1400 x 800mm
Clearance required for door to open (W x H)	Doors open outwards 1250 x 1669mm

TWO PERSON ASSEMBLY

Most procedures will not require two people but it may be easier to have assistance.



PERSONAL PROTECTION EQUIPMENT

We advise appropriate personal protective equipment is worn during assembly including eye protection and gloves.





CARING FOR YOUR HEX LIVING PRODUCT

Your HEX Living product is designed to stand the test of time, which is why we're happy to offer a lifetime warranty on our products. With zero maintenance required, simply assemble your HEX Living product and enjoy putting it to great use in your garden.

Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:

- Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt or mud simply
 wipes away.
- · Periodically clear the roof of fallen leaves.
- If your product has guttering, remove leaves and garden debris as you would on your home.

PRODUCT REGISTRATION

IMPORTANT: Prior to assembly, please ensure you have registered your HEX Living product using the unique serial number found on the cover of this document, please visit www.hexliving.co.uk to register your product and access the HEX Living lifetime warranty and video instructions.

GROUND ANCHOR KIT

A Ground Anchor Kit is supplied, this is to secure the product to a solid concrete base, the shed has x4 clamp plates in each corner.

WE STRONGLY ADVISE THAT THE SHED IS ANCHORED USING THIS KIT

The diagram illustrates the typical fixing method, once the shed is assembled, access the clamp brackets by removing the appropriate floor panel and secure as required.

GROUND ANCHOR KIT


Part Ref: FK8

M8 x 50mm Coach Screw Qty: x4




Part Ref: FK7 Expansion Plug Qty: x4





ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION








Part Ref: 0203-02 Qty: x2


















ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION

Part Ref: 0203-33 (Assembly) Qty: x1



Part Ref: 0203-34 (Assembly)

Qty: x1



Part Ref: 0203-35

Qty: x2



Part Ref: 0203-36

Qty: x1



Part Ref: 0203-37

Qty: x4



Part Ref: 0203-27 (Left-hnd Assembly)

Qty: x2



Part Ref: 0203-28 (Right-hand Assembly)

Qty: x2



Part Ref: 0203-32 (Assembly)

Qty: x1



Part Ref: 0203-39

Qty: x4



Part Ref: 0203-40

Qty: x4



Part Ref: 0203-41

Otv: x1



Part Ref: 0203-15

Qty: x4

Part Ref: 0205-63

Qty: x2

Part Ref: 0205-66

Qty: x2



Part Ref: 0205-68

Qty: x4



Part Ref: FK1

M4 x 10mm Roofing Bolt

Part Ref: FK2

No.8 x 13mm Eco Fix Qty: x7

Part Ref: FK3

M4 x 12mm C'Sunk Pozi Pan Qty: x31

Part Ref: FK4

M4 Serrated Flange Nut Qty: x160

Part Ref: FK5

M8 Serrated Flange Nut

Part Ref: FK6

M4 x 40mm Pozi Pan Screw

Part Ref: FK7 **Expansion Plug**

Qty: x4

Part Ref: FK8

M8 x 50mm Coach Screw Qty: x4

FIXING KIT: 0203-49


This will be Pozi OR Slotted Qty: x127


Qty: x5

Qty: x7




LOCATE AND SECURE A CORNER BRACE 0203-03 AT EACH LOCATION INDICATED.











PLEASE NOTE: SECTION VIEW OF TYPICAL FIXING METHOD.




LOCATE AND SECURE A FLOOR BRACE 0203-04 AT EACH LOCATION INDICATED.





SLOT EACH FLOOR BRACE 0203-04 INTO POSITION AS SHOWN ABOVE.




PLEASE NOTE: ENSURE TOP OF FLOOR BRACE IS LEVEL WITH TOP OF FLOOR RAIL.




ASSEMBLY STAGE 3


LOCATE WALL PANEL 0203-09 (725mm WIDE), PLEASE NOTE EACH PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM SO CAN BE LOCATED EITHER WAY.













LOOSELY ATTACH WALL PANEL ONTO FLOOR RAIL AT x2 LOCATIONS INDICATED. IMPORTANT: DO NOT SECURE AT OUTER FIXING POINTS AT THIS STAGE.




LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0203-07 ONTO WALL PANEL.





LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0203-07 AS SHOWN AT x2 LOCATIONS INDICATED ABOVE.





LOOSELY ATTACH AT x2 LOCATIONS INDICATED ONLY. IMPORTANT: DO NOT SECURE AT OUTER FIXING POINTS AT THIS STAGE.





ASSEMBLY STAGE 5

LOCATE AND LOOSELY ATTACH CORNER POSTS 0203-11 (1735mm) & 0203-12 (1800mm LONG) ONTO WALL PANEL.










LOOSELY ATTACH CORNER POSTS AT x4 LOCATIONS INDICATED ONLY.


IMPORTANT: DO NOT SECURE AT UPPER FIXING POINTS AT THIS STAGE.




LOCATE BACK WALL PANEL 0203-10 (675mm WIDE), PLEASE NOTE THE PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM SO CAN THEREFORE BE LOCATED EITHER WAY.







LOCATE FIRST BACK WALL PANEL 0203-10 (675mm WIDE) AS SHOWN ABOVE. **IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.**




LOOSELY ATTACH BACK WALL PANEL AT x3 LOCATIONS INDICATED ONLY.


IMPORTANT: DO NOT SECURE ANY FIXING POINTS OTHER THAN THOSE INDICATED.




LOOSELY ATTACH BACK WALL PANELS 0203-10.







LOCATE SECOND BACK WALL PANEL 0203-10 INTO POSITION AS SHOWN ABOVE. IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.





LOOSELY ATTACH BACK WALL PANEL AT x3 LOCATIONS INDICATED ONLY. IMPORTANT: DO NOT SECURE ANY FIXING POINTS OTHER THAN THOSE INDICATED.




LOCATE AND LOOSELY ATTACH LONG CENTRE BRACE 0203-06 ONTO BACK WALL.







LOCATE AND LOOSELY ATTACH LONG CENTRE BRACE 0203-06 AS SHOWN AT $\ensuremath{\mathsf{x2}}$ LOCATIONS INDICATED ABOVE.




LOOSELY ATTACH AT X6 LOCATIONS INDICATED ONLY.


IMPORTANT: DO NOT SECURE OUTER FIXING POINT INDICATED AT THIS STAGE.





LOCATE AND LOOSELY ATTACH CORNER POSTS 0203-11 (1735mm).












LOOSELY ATTACH CORNER POST AT x2 LOCATIONS INDICATED ONLY.


IMPORTANT: DO NOT SECURE AT TOP FIXING POINT AT THIS STAGE.




LOCATE WALL PANEL 0203-09 (725mm WIDE), PLEASE NOTE THE PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM SO CAN BE LOCATED EITHER WAY.







LOCATE WALL PANEL 0203-09 INTO POSITION AS SHOWN ABOVE. IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.





LOOSELY ATTACH WALL PANEL ONTO FLOOR RAIL AT x3 LOCATIONS INDICATED. IMPORTANT: DO NOT SECURE AT OUTER FIXING POINTS AT THIS STAGE.




LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0203-07.







LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0203-07 AS SHOWN AT ${\bf x3}$ LOCATIONS INDICATED ABOVE.





LOOSELY ATTACH AT x3 LOCATIONS INDICATED ONLY.


IMPORTANT: DO NOT SECURE AT OUTER FIXING POINT AT THIS STAGE.




LOCATE AND LOOSELY ATTACH CORNER POST 0203-12 (1800mm).











LOOSELY ATTACH CORNER POST AT x2 LOCATIONS INDICATED ONLY. IMPORTANT: DO NOT SECURE AT TOP FIXING POINT AT THIS STAGE.





LOCATE AND LOOSELY ATTACH SHORT TOP RAIL 0203-17.












LOOSELY ATTACH AT x4 LOCATIONS INDICATED.





LOCATE AND LOOSELY ATTACH LONG TOP RAIL 0203-16.












LOOSELY ATTACH AT x7 LOCATIONS INDICATED.




LOCATE AND LOOSELY ATTACH SHORT TOP RAIL 0203-17.













LOOSELY ATTACH AT x4 LOCATIONS INDICATED.




LOCATE AND SECURE LEFT-HAND DOOR POST 0203-14.










SECURE DOOR POST AT x2 LOCATIONS INDICATED.


IMPORTANT: DO NOT SECURE AT UPPER FIXING POINT AT THIS STAGE.




LOCATE AND SECURE RIGHT-HAND DOOR POST 0203-13.











SECURE DOOR POST AT x2 LOCATIONS INDICATED. IMPORTANT: DO NOT SECURE AT UPPER FIXING POINT AT THIS STAGE.





LOCATE AND LOOSELY ATTACH LONG TOP RAIL 0203-16.












LOOSELY ATTACH AT x2 LOCATIONS INDICATED.




18B

LOCATE AND SECURE ROOF RIGHT-HAND SIDE INFILL 0203-23.












SECURE ROOF SIDE INFILL AT x4 LOCATIONS INDICATED AS SHOWN ABOVE.




LOCATE AND SECURE ROOF REAR INFILL 0203-22.











SECURE ROOF REAR INFILL AT x7 LOCATIONS INDICATED AS SHOWN ABOVE.




LOCATE AND SECURE ROOF LEFT-HAND SIDE INFILL 0203-24.











SECURE ROOF SIDE INFILL AT x4 LOCATIONS INDICATED AS SHOWN ABOVE.




LOCATE AND SECURE ROOF FRONT INFILL 0203-21










SECURE ROOF FRONT INFILL AT x7 LOCATIONS INDICATED AS SHOWN ABOVE.




LOCATE AND SECURE TOP RAIL CORNER BRACKETS 0203-15.





LOCATE AND SECURE TOP RAIL CORNER BRACKETS 0203-15 IN EACH CORNER OF THE SHED USING THE TYPICAL FIXING METHOD SHOWN ABOVE.




SECURE EACH CORNER BRACKET AND ROOF INFILL AS SHOWN ABOVE.




LOCATE AND SECURE TOP RAIL CORNER BRACKETS 0203-15.





LOCATE A TOP RAIL CORNER BRACKET 0203-15 AS SHOWN AT EACH LOCATION INDICATED ABOVE.





SECURE EACH CORNER BRACKET AS SHOWN ABOVE.




BEND OPEN AIR BEND TABS ON ROOF FRONT AND REAR INFILLS.














ASSEMBLY STAGE 26

ASSEMBLE ROOF PANEL.






LOCATE EACH ROOF BRACE 0203-18 INTO ROOF 0203-20, ROTATE AND ALIGN WITH AIR BEND TABS.




PUSH AIR BEND TABS DOWN TO SECURE ROOF BRACE IN POSITION.











LOCATE ROOF ASSEMBLY ONTO ROOF FRAME, ENSURE EACH ROOF BRACE IS LOCATED INTO FRONT AND REAR ROOF INFILL AIR BEND TABS AS SHOWN.




IMPORTANT: SECURE EACH ROOF BRACE ONTO FRONT AND REAR ROOF INFILL USING THE FIXING METHOD SHOWN ABOVE.




LOCATE EACH FLOOR PANEL 0203-42.





LOCATE EACH FLOOR PANEL 0203-42 INTO BASE OF STORAGE UNIT AS SHOWN.





IMPORTANT: ENSURE THE HEXAGON PATTERN IS FACE UP.




ASSEMBLY STAGE 29

LOCATE AND SECURE DOOR STRIP 0203-08.











SECURE DOOR STRIP ONTO FLOOR PANELS AT x6 LOCATIONS INDICATED.




LOCATE AND SECURE RIGHT-HAND DOOR ASSEMBLY 0203-25 FURNITURE.










SECURE EURO MORTICE LOCK 0203-32 AT x2 LOCATIONS INDICATED ABOVE.

SEE FOLLOWING DATA SHEET FOR COMPLETION OF MORTICE LOCK INSTALLATION




ASSEMBLY STAGE 30 CONTINUED


EURO MORTICE LOCK 0203-32 AND DOOR HANDLE 0203-33 INSTALLATION.




LOCATE AND SECURE EURO ESCUTCHEON 0203-34 AS SHOWN.




LOCATE EURO ESCUTCHEON COVER 0203-34 ONTO EURO CYLINDER AS SHOWN. PLEASE NOTE: THESE ARE PUSHED ON AND WILL CLICK INTO PLACE.




LOCATE EURO CYLINDER 0203-36 INTO DOOR APERTURE. IMPORTANT: ENSURE COVER IS FITTED AS SHOWN.



PLEASE NOTE: FIXING IS PART OF THE EURO MORTICE LOCK ASSEMBLY.



LOCATE AND SECURE DOOR HANDLE ASSEMBLY 0203-33 AS SHOWN.





LOCATE COVER ONTO DOOR HANDLE AS SHOWN.
PLEASE NOTE: THESE ARE PUSHED ON AND WILL CLICK INTO PLACE.




ASSEMBLY STAGE 31

LOCATE AND SECURE LEFT-HAND DOOR ASSEMBLY 0203-26 FURNITURE.





ENSURE THE PLUNGER INDICATED IS FACING THE BOTTOM OF THE DOOR, LOCATE AS SHOWN ABOVE AND SECURE USING ADJACENT FIXING METHOD.





SECURE EACH FLUSH DOOR BOLT ENSURING PLATE PACKER 0203-40 IS LOCATED AS SHOWN ABOVE.



ASSEMBLY STAGE 31 CONTINUED

LOCATE AND SECURE LEFT-HAND DOOR ASSEMBLY 0203-26 FURNITURE.







ATTACH DOOR BOLT ONTO FLUSH DOOR BOLT.

REPEAT 31A / B / C FOR UPPER FLUSH DOOR BOLT


LOCATE AND SECURE UPPER FLUSH DOOR BOLT 0203-35 USING PROCEDURES 31A / B / C, PLUNGER WILL FACE UPWARDS TOWARDS THE TOP OF THE DOOR







LOCATE AND SECURE EURO MORTICE LOCK 0203-32 AND CATCH PLATE COVER 0203-41 AS SHOWN ABOVE.




SECURED EURO MORTICE LOCK 0203-32 AS SEEN FROM FRONT.


ASSEMBLY STAGE 32


LOCATE AND SECURE DOOR HINGES ONTO DOOR ASSEMBLIES.













SECURE DOOR HINGE PLATE AND HINGE 0203-27 AND 0203-28 AS SHOWN. IMPORTANT: ENSURE CORRECT DOOR HINGE IS SECURED TO CORRECT DOOR.




ASSEMBLY STAGE 33

LOCATE AND SECURE DOOR PLATE 0203-39.





LOCATE DOOR POST PLATE 0203-39 WITHIN DOOR FRAME AS SHOWN. IMPORTANT: SLOT WITH FACE UPWARDS AT UPPER LOCATION.





SECURE DOOR POST PLATE AND LEFT-HAND HINGE 0203-27 AS SHOWN. PLEASE NOTE: REPEAT EACH PROCEDURE FOR UPPER LOCATION.




ASSEMBLY STAGE 34

LOCATE AND SECURE DOOR PLATE 0203-39.







LOCATE DOOR POST PLATE 0203-39 WITHIN DOOR FRAME AS SHOWN. IMPORTANT: SLOT WITH FACE UPWARDS AT UPPER LOCATION.




SECURE DOOR POST PLATE AND RIGHT-HAND HINGE 0203-28 AS SHOWN PLEASE NOTE: REPEAT EACH PROCEDURE FOR UPPER LOCATION.








SECURE A GAS STRUT BALL JOINT 0205-68 ONTO EACH GAS STRUT BRACKET 0205-66.




DETERMINE DOOR OPENING ANGLE: A: 90° OPENING OR B: 120° OPENING



ALIGN EACH GAS STRUT BRACKET WITH RELEVANT FIXING HOLES, SECURE USING TYPICAL FIXING METHOD ABOVE.









SLIDE EACH DOOR ASSEMBLY ONTO EACH OF THEIR RESPECTIVE HINGES.




ASSEMBLED DOOR HINGE.









SECURE A GAS STRUT BALL JOINT 0205-68 ONTO EACH GAS STRUT BRACKET THAT IS PRE-RIVETED ONTO EACH DOOR ASSEMBLY.





FIX EACH GAS STRUT ONTO RELEVANT GAS STRUT BALL JOINTS.
PLEASE NOTE: PUSHES DOWN ON DOOR AND UPWARDS ON DOOR FRAME.













LOCATE EACH SHELF 0203-38-02 ONTO SHELF POST AS DESIRED. PLEASE NOTE: THE SHELF SIMPLY HOOKS ONTO THE POST.



ASSEMBLY STAGE 39









IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE FIT AND TIGHTEN ALL FASTENERS.

ONCE ALL FASTENERS HAVE BEEN CHECKED AND ARE SECURE THE ASSEMBLY IS COMPLETE.

WE RECOMMEND YOU ANCHOR YOUR SHED TO A SOLID CONCRETE BASE, GUIDANCE CAN BE FOUND ON PAGE 'i'



Caring for your HEX Living product

Your HEX Living product is designed to stand the test of time, which is why we're happy to offer a lifetime warranty on our products. With zero maintenance required, simply assemble your HEX Living product, and enjoy putting it to great use in your garden.

Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:

- Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt
 or mud simply wipes away.
- If you've purchased a HEX Living metal storage solution, periodically clear the roof of fallen leaves.
- If your product has guttering, remove leaves and garden debris as you would on your home.

Ensure you have registered your HEX Living product

Using the unique serial number found on the cover of this document, please visit **www.hexliving.co.uk** to register your product and access the HEX Living lifetime warranty and video instructions.









