

# 10 x 6 Large Metal Storage Shed

**Flooring Kit Assembly Guide** 

**PARTS LIST** 







Part Ref: 0212-02



3.9 x 22mm Self Drilling Screw Qty: x26

Part Ref: FK2

No.8 x 13mm Eco Fix

Qty: x7





## **ORIGINAL ASSEMBLY KIT**

Part Ref: FK1 M4 x 10mm Roofing Bolt

Qty: x2

Part Ref: FK7

M4 Serrated Flange Nut

Qty: x2







#### **ASSEMBLY STAGE 1**


LOCATE AND REMOVE DOOR STRIP 0205-74


IMPORTANT: STAGE I IS ONLY RELEVANT IF YOU HAVE PURCHASED A NEW FLOORING KIT, AFTER THE SHED HAS BEEN FULLY ASSEMBLED.












REMOVE DOOR STRIP 0205-74 FROM FLOOR PANELS AS SHOWN.


## ASSEMBLY STAGE 2


LOCATE AND SECURE A FLOOR BRACE 0212-02 AT EACH LOCATION INDICATED.




#### **ASSEMBLY STAGE 3**

LOCATE AND SECURE A FLOOR BRACE 0205-04 AT EACH LOCATION INDICATED.





SLOT EACH FLOOR BRACE 0212-02 INTO POSITION AS SHOWN ABOVE.




SLOT EACH FLOOR BRACE 0205-04 INTO POSITION AS SHOWN ABOVE. PLEASE NOTE: ENSURE TOP OF FLOOR BRACE IS LEVEL WITH TOP OF FLOOR RAIL.

#### **ASSEMBLY STAGE 4**

LOCATE FLOOR PANELS 0212-08 OR 0212-18.


SLOT FIRST THREE FLOOR PANELS 0212-08 OR 0212-18 INTO THE BACK HALF OF FLOOR FRAME.

IMPORTANT: THESE FLOOR PANELS DO NOT HAVE A CUT-OUT. ENSURE THE PATTERN FLOORING IS FACE UP.




#### **ASSEMBLY STAGE 5**

LOCATE FLOOR PANELS 0212-08 OR 0212-18, 0212-09 OR 0212-20 AND 0212-10 OR 0212-19. SLOT LEFT AND RIGHT-HAND FLOOR PANELS AND THEN MIDDLE FLOOR PANEL, INTO THE FRONT HALF OF FLOOR FRAME. ENSURE THE PATTERN FLOORING IS FACE UP.



**ASSEMBLY STAGE 6** 


LOCATE AND SECURE DOOR STRIP 0205-11 OR 0205-73.






<u>IMPORTANT</u>: ONCE FLOOR PANELS ARE POSITIONED CORRECTLY, WE STRONGLY RECOMMEND YOU SECURE THE FLOORING TO THE BASE. FOLLOWING INSTRUCTIONS ON PAGE 7.





LOCATE DOOR STRIP 0205-11 OR 0205-73 AS SHOWN.

IMPORTANT: ENSURE DOOR STRIP IS PUSHED AGAINST DOOR
POST RETURN.



SECURE DOOR STRIP ONTO FLOOR PANELS AT X6 LOCATION INDICATED.

PLEASE NOTE: THE FIXING USED IS A SELF DRILLING COMPONENT.

## **Securing Flooring to Base Cutout Template**

## **ASSEMBLY STAGE 7**

LOCATE AND SECURE FLOOR PANELS TO SHED BASE



## SINGLE PERSON ASSEMBLY

MOST PROCEDURES WILL NOT REQUIRE TWO PEOPLE BUT IT MAY BE EASIER TO HAVE ASSISTANCE.




## PERSONAL PROTECTION EQUIPMENT

WE ADVISE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT IS WORN DURING ASSEMBLY INCLUDING EYE PROTECTION AND GLOVES.




## ASSEMBLY STAGE 7A

MARK OUT FIXING SCREWS LOCATIONS




USE TEMPLATE BELOW TO MARK OUT SUGGESTED LOCATIONS FOR SECURING FLOOR TO BASE. (NOTE: ONLY MARK INNER CORNER PANELS - 7 x 30 mm).

# TYPICAL SIX PIECE FLOORING WITH SUGGESTED SCREW LOCATIONS (20), MEASUREMENTS IN (MM)



### **ASSEMBLY STAGE 7B**


LOCATE FIXING SCREW AND DRILL TO FLOOR



USE DRILL TO SECURE FIXING SCREW FK1 TO EACH FLOOR PANEL MARKED.

#### **CUT OUT TEMPLATE GUIDE BELOW**

SHOWING SUGGESTED LOCATION HOLES FOR FIXING SCREWS (FK1), FOR DRILLING INTO FLOORING AND BASE.



## Ensure you have registered your product

If you require any assistance our telephone lines are open: Mon - Fri, 8am - 5pm +44 (0) 1889 272 056