

Whiston

Metal Triple Wheelie Bin Store



IMPORTANT: PLEASE REGISTER YOUR HEX LIVING PRODUCT AFTER ASSEMBLY

Using the unique serial number, simply register your product at www.hexliving.co.uk or use the QR code above to access the HEX Living lifetime warranty and online support.

Affix Serial Number
HERE



PLEASE READ THIS DOCUMENT FULLY PRIOR TO STARTING ASSEMBLY PROCEDURE

The objective of this instruction is to illustrate the recommended assembly sequence for this product, any deviation from this will be the sole responsibility of whoever carries out the assembly.

IMPORTANT: IT IS ADVISABLE THAT THE PRODUCT IS ASSEMBLED AT, OR AS CLOSE AS POSSIBLE TO WHERE IT WILL BE FINALLY LOCATED

Ensure there is adequate clearance where the product is to be located:

Exterior dimensions including overhang (L x W x H)	2350 x 810 x 1250mm
Footprint dimensions (L x W)	2350 x 800mm
Clearance required for doors and Lids to open (W x H)	Open outwards 1500 x 1960mm

TWO PERSON ASSEMBLY

Most procedures will not require two people but it may be easier to have assistance.



PERSONAL PROTECTION EQUIPMENT

We advise appropriate personal protective equipment is worn during assembly including eye protection and gloves.



Eye Protection





Gloves


CARING FOR YOUR HEX LIVING PRODUCT

- Your **HEX Living** product is designed to stand the test of time, which is why we're happy to offer a lifetime warranty on our products. With zero maintenance required, simply assemble your HEX Living product and enjoy putting it to great use in your garden.
- Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:
 - Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt or mud simply wipes away.
 - If your product has guttering, remove leaves and garden debris as you would on your home.

WARNINGS AND ADVISORIES

-  **Do not try to install the wheelie bin store alone. If the shed falls, it could cause serious injuries and damages!**
- Select a dry and calm day for your assembly, do not try to install this product in windy conditions!**
- Please read the manual carefully before assembling, (we recommend keeping the manual for future use).
-  **We advise a flat hard floor surface, preparing suitable area for assembly.**
- Place all parts out carefully, ideally on a soft surface to protect parts from getting damaged.
- Please check part quantities before assembling, contact customer service if any parts are missing or damaged.


PRODUCT REGISTRATION

-  **IMPORTANT:** Thank you for purchasing our **wheelie bin store**, ensure you have registered your HEX Living product using the unique serial number found on the cover of this document, please visit www.hexliving.co.uk to register your product and access the HEX Living lifetime warranty.


Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE
SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION


Part Ref: 0269-03-02
Qty: x2




Part Ref: 0268-15
Qty: x2




Part Ref: 0268-09
Qty: x3




Part Ref: 0268-02
Qty: x3



Part Ref: 0268-41
Qty: x1




Part Ref: 0268-42
Qty: x1




Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE
SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION


Part Ref: 0268-40
Qty: x1




Part Ref: 0269-06
Qty: x1




Part Ref: 0268-39
Qty: x2




Part Ref: 0268-05
Qty: x1




Part Ref: 0269-02
Qty: x1




Part Ref: 0268-04
Qty: x1




Part Ref: 0249-26
Qty: x3



Part Ref: 0268-24
Qty: x1




Part Ref: 0268-23
Qty: x2




Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE
SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION

Part Ref: 0269-08
Qty: x1



Part Ref: 0269-04
Qty: x1



Part Ref: 0203-28 (L/H Assembly)
Qty: x3



Part Ref: 0203-03
Qty: x4




Part Ref: 0203-27 (R/H Assembly)
Qty: x3



Part Ref: 0204-66
Qty: x6



Part Ref: Chain Assembly
Qty: x3




Part Ref: 0268-27
Qty: x6



FIXING KIT: 0269-09

Part Ref: 0268-43
M6 x 60mm Shoulder Bolt
Qty: x6

FK1



Part Ref: 0203-43
M4 x 12mm C'Sunk Pozi Pan
Qty: x18

FK2



Part Ref: 0203-52
M4 x 12mm Bolt
Qty: x50

FK3



Part Ref: 0204-68
M4 x 16mm Cap Screw
Qty: x6

FK4



Part Ref: 0203-54
M8 Serrated Flange Nut
Qty: x6

FK5



Part Ref: 0203-55
M4 Serrated Flange Nut
Qty: x68

FK6





Part Ref: 305-00055
M5 Nyloc Nut
Qty: x6

FK7




ASSEMBLY STAGE 1

LOCATE AND SECURE A CORNER BRACE 0203-03 AT EACH LOCATION INDICATED.







SECURE EACH CORNER BRACE 0203-03 AS SHOWN ABOVE.



PLEASE NOTE: SECTION VIEW OF TYPICAL FIXING METHOD.

ASSEMBLY STAGE 2



LOCATE AND LOOSELY ATTACH SIDE PANEL 0268-41 TO BACK PANEL 0268-02.
LOSSELY SECURE BOTH PANELS TO BASE FRAME.




NOTE: LOCATE SIDE PANEL 0268-41 AND FIT TO BASE FRAME, LOCATE BACK PANEL 0268-02, POSITION TO SIDE PANEL AND BASE. AS SHOWN ABOVE. SECURE PANELS USING FK3 BOLTS (NO NUTS REQUIRED).
ONCE LOWERED INTO POSITION, LOOSELY ATTACH AT LOCATIONS. NOTE: FASTEN FINGER TIGHT.

ASSEMBLY STAGE 3

LOCATE AND LOOSELY ATTACH BACK UPRIGHT 0268-39, AND SECURE TO BASE FRAME.
LOSSELY SECURE BOTH BACK PANELS TO BASE FRAME.





LOOSELY SECURE BACK UPRIGHT AND BACK PANEL TO BASE FRAME. AS SHOWN ABOVE.




LOOSELY SECURE BACK UPRIGHT TO BACK PANELS, AT LOCATIONS, USING FK3 BOLTS (NO NUTS REQUIRED). **NOTE:** FASTEN FINGER TIGHT.

ASSEMBLY STAGE 4

LOCATE AND LOOSELY ATTACH BACK UPRIGHT 0268-39, AND SECURE TO BASE FRAME.
LOOSELY SECURE BOTH BACK PANELS TO BASE FRAME.





LOOSELY SECURE BACK UPRIGHT AND BACK PANEL TO FLOOR BASE. AS SHOWN ABOVE.




LOOSELY SECURE BACK UPRIGHT TO BACK PANELS, AT LOCATIONS. USING FK3 BOLTS (NO NUTS REQUIRED). **NOTE:** FASTEN FINGER TIGHT.

ASSEMBLY STAGE 5


LOCATE AND ATTACH SIDE PANEL 0268-42 TO BACK PANEL 0268-02.
LOOSELY SECURE BOTH PANELS TO BASE FRAME.



5A LOCATE SIDE PANEL 0268-42 AND FIT TO BASE FRAME AND BACK PANEL 0268-02, AS SHOWN ABOVE.
SECURE SIDE AND BACK PANELS USING FK3 BOLTS (NO NUTS REQUIRED).





5B



5C ONCE LOWERED INTO POSITION, LOOSELY ATTACH AT LOCATIONS.

ASSEMBLY STAGE 6

LOCATE AND ATTACH FRONT UPRIGHTS 0268-40 AND 0269-06, AND SECURE TO BASE FRAME.



LOOSELY SECURE FRONT UPRIGHTS TO BASE FRAME.






IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE FIT AND TIGHTEN ALL FASTENERS.

ONCE ALL FASTENERS HAVE BEEN CHECKED AND ARE SECURE PROCEED ONTO STAGE 7.

NOTE: CHECK ALL PANELS FOR ALIGNMENT AND FULL TIGHTEN ALL FASTENERS.



ASSEMBLY STAGE 7
LOCATE AND SECURE TOP FRAME 0269-08 TO MAIN FRAME.



LOCATE AND SECURE TOP FRAME 0269-08, AT LOCATION INDICATED ONLY.
IMPORTANT: DO NOT SECURE CORNERS AND FRONT UPRIGHT FIXINGS POINTS.

ASSEMBLY STAGE 8



LOCATE AND SECURE CORNER FRAME BRACKETS 0268-27 TO TOP FRAME.





LOCATE AND SECURE CORNER FRAME BRACKET 0268-27 TO TOP FRAME.
AS SHOWN ABOVE

ASSEMBLY STAGE 9

SECURE GAS STRUTS 0249-26 TO GAS STRUT BRACKETS 0268-23 AND 0268-24.
SECURE GAS STRUT BRACKETS TO REAR FRAME, AT LOCATIONS INDICATED BELOW..





LOCATE AND SECURE GAS STRUTS 0249-26 (x3) TO GAS STRUT BRACKETS 0268-24 AND 0268-24 (x2).
NOTE: OTHER END OF THE GAS STRUT WILL BE SECURED TO LID SEE (STAGE 10).




SECURE GAS STRUT BRACKETS TO SIDE FRAMES, EACH BRACKET REQUIRES (x3) FIXINGS.

ASSEMBLY STAGE 10
SECURE LIDS TO MAIN FRAME HINGES.
SECURE GAS STRUTS 0249-26 TO EACH LID.





ALIGN LID AND FRAME HINGES, ATTACH USING FK1 SHOLDER BOLTS AND FK7 NUTS, AS SHOWN ABOVE. FULLY TIGHTEN.



SECURE GAS STRUT TO LID BRACKET, REQUIRES FK5 NUT. AS SHOWN ABOVE.



ASSEMBLY STAGE 11

SECURE RUBBER FEET 0204-66 TO LIDS, AT LOCATIONS INDICATED.




LOCATE AND APPLY RUBBER FEET 0204-66 (x6) ONTO LID AT LOCATIONS SHOWN, USE EXISTING HOLE AS A LOCATION GUIDE.

ASSEMBLY STAGE 12
LOCATE AND SECURE DOOR STRIP 0269-04.





LOCATE DOOR STRIP 0269-04 AS SHOWN.
IMPORTANT: ENSURE DOOR STRIP IS PUSHED AGAINST DOOR POST RETURN.



SECURE DOOR STRIP ONTO FLOOR PANELS AT x3 LOCATIONS INDICATED, USE EXISTING HOLE AS A LOCATION GUIDE.


ASSEMBLY STAGE 13

LOCATE AND SECURE DOOR HINGES 0203-27 AND 0203-28 ONTO DOOR ASSEMBLIES.



LOCATE AND SECURE DOOR HINGES 0203-27 AS SHOWN.

IMPORTANT: ENSURE CORRECT DOOR HINGE IS SECURED TO CORRECT DOOR.





LOCATE AND SECURE DOOR HINGES 0203-28 AS SHOWN.


IMPORTANT: ENSURE CORRECT DOOR HINGE IS SECURED TO CORRECT DOOR.

ASSEMBLY STAGE 14

LOCATE AND SECURE HINGES 0203-27 AND 0203-28 ONTO FRAME ASSEMBLY.
SLIDE EACH DOOR ASSEMBLY 0268-09 TO EACH OF THEIR RESPECTIVE HINGES.





LOCATE AND SECURE FRAME HINGES 0203-27 & 0203-28 AS SHOWN.
IMPORTANT: ENSURE CORRECT DOOR HINGE IS SECURED TO CORRECT DOOR.




SLIDE EACH DOOR ASSEMBLY 0268-09 TO EACH OF THEIR RESPECTIVE HINGES, AS SHOWN.

ASSEMBLY STAGE 15

ASSEMBLE BIN LID CLIP ASSEMBLIES AND ATTACH ONTO LID AT EACH LOCATION INDICATED.



LOCATE BIN LID CLIP ASSEMBLIES (x3) , LOCATION POINTS, SHOWN ABOVE.




SECURE BIN LID CLIP ASSEMBLY, TO LID AND BIN LID, AS SHOWN ABOVE.

Assembly Guide

SHELVING KIT ASSEMBLY 0268-BLACK-SK (OPTIONAL)

SHELVING KIT ASSEMBLY, AS SHOWN BELOW.

NOTE: SMALL FIXINGS NOT REQUIRE.



ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION

Part Ref: 0268-32

Qty: x4

Part Ref: 0268-33


Qty: x4

Part Ref: 0268-34


Qty: x2

Part Ref: 0268-35


Qty: x2



LOCATE SHELF LEG UPRIGHTS 0268-34 & 0268-35, SECURE AT LOCATIONS, NOTE: THREE SLOTS ARE POSITIONED IN THE CORRECT ORIENTATION.



LOCATE SHELF SUPPORTS 0268-32 (x4), SECURE TO LEG UPRIGHTS, AS SHOWN ABOVE.



LOCATE SHELVES 0268-33 (x4), SECURE TO SHELF SUPPORTS, AS SHOWN ABOVE.

NOTES

Caring for your HEX Living product

Your **HEX Living product** is designed to stand the test of time, which is why we're happy to offer a **lifetime warranty** on our products. With zero maintenance required, simply assemble your HEX Living product, and enjoy putting it to great use in your garden.

Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:

- Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt or mud simply wipes away.
- If you've purchased a HEX Living metal storage solution, periodically clear the lid of fallen leaves.

Ensure you have registered your HEX Living product

Using the unique serial number found on the cover of this document, please visit www.hexliving.co.uk to register your product and access the HEX Living lifetime warranty and support.

Customer Service: +44 (0) 1889 272 056

