

Hanbury

Planters



IMPORTANT: PLEASE REGISTER YOUR HEX LIVING PRODUCT BEFORE ASSEMBLY

Using the unique serial number, simply register your product at www.hexliving.co.uk to access and download the HEX Living lifetime warranty and video assembly instructions.

Affix Serial Number
HERE



Doc Ref: 699-0803/B


SECTION 1: PARTS LIST FOR 500 x 500 x 400mm PLANTER AND 600 x 600 x 400mm PLANTER.

PLEASE NOTE: PARTS MAY DIFFER VISUALLY BUT THE ASSEMBLY PROCESS IS IDENTICAL FOR BOTH PRODUCTS, ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE.

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION


1 - FLOOR RAIL

Qty: x4




2 - CORNER POST

Qty: x4




3 - FLOOR HOLDER

Qty: x4



4 - FLOOR BRACE

Qty: x1




5 - FLOOR CORNER BRACKET

Qty: x4




6 - CORNER CAP

Qty: x4




7 - FRONT PANEL

Qty: x1




8 - SIDE / BACK PANEL

Qty: x3



9 - FLOOR PANEL

Qty: x1



FIXING KIT

Part Ref: FK1

M4 x 8mm Roofing Bolt

Qty: x32



Part Ref: FK2

M4 x 10mm Roofing Bolt

Qty: x18



Part Ref: FK3



M4 Serrated Flange Nut

Qty: x46




ASSEMBLY STAGE 1

LOCATE AND SECURE A FLOOR CORNER BRACKET (5) AT EACH LOCATION INDICATED.





SECURE EACH FLOOR CORNER BRACE (5) AS SHOWN ABOVE.




PLEASE NOTE: TYPICAL FIXING METHOD, ENSURE CORRECT FIXING IS USED (FK2).

ASSEMBLY STAGE 2
LOCATE AND LOOSELY ATTACH FRONT PANEL (7).





LOCATE FRONT PANEL (7) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.




LOOSELY ATTACH FRONT PANEL AT EACH LOCATION INDICATED AS SHOWN.

ASSEMBLY STAGE 3

LOCATE AND LOOSELY ATTACH SIDE / BACK PANEL (8) AT LOCATION SHOWN.





LOCATE A SIDE / BACK PANEL (8) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.




LOOSELY ATTACH PANEL AT EACH LOCATION INDICATED AS SHOWN.

ASSEMBLY STAGE 4

LOCATE AND LOOSELY ATTACH SIDE / BACK PANEL (8) AT LOCATION SHOWN.





LOCATE SIDE / BACK PANEL (8) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.
⚠ ENSURE TABS ARE LOCATED AS SHOWN BEFORE SECURING.



LOOSELY ATTACH SIDE / BACK PANEL AT EACH LOCATION INDICATED ONLY, DO NOT ATTACH TABS AT THIS STAGE.


ASSEMBLY STAGE 5

LOCATE AND LOOSELY ATTACH SIDE / BACK PANEL (8) AT LOCATION SHOWN.



LOCATE SIDE / BACK PANEL (8) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.



⚠ ENSURE TABS ARE LOCATED AS SHOWN BEFORE SECURING.



LOOSELY ATTACH SIDE / BACK PANEL AT EACH LOCATION INDICATED ONLY, DO NOT ATTACH TABS AT THIS STAGE.

ASSEMBLY STAGE 6


LOOSELY ATTACH FRONT, SIDE / BACK PANEL TABS AT EACH LOCATION INDICATED.



LOOSELY ATTACH FRONT, SIDE / BACK PANEL TABS AT EACH LOCATION INDICATED.

ASSEMBLY STAGE 7


LOOSELY ATTACH FRONT, SIDE / BACK PANELS AT EACH LOCATION INDICATED.



LOOSELY ATTACH FRONT, SIDE / BACK PANELS AT EACH LOCATION INDICATED.

ASSEMBLY STAGE 8

LOOSELY ATTACH FRONT, SIDE / BACK PANELS AT EACH LOCATION INDICATED.



LOOSELY ATTACH FRONT, SIDE / BACK PANELS AT EACH LOCATION INDICATED.





IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE
FIT AND TIGHTEN ALL FASTENERS.

ASSEMBLY STAGE 9

LOCATE AND ATTACH A CORNER POST (2) AT EACH LOCATION INDICATED.




LOCATE EACH CORNER POST (2) AS SHOWN INSERTING TABS INTO APPROPRIATE SLOTS AT EACH POSITION.


BEND ALL CORNER POST TABS TO SECURE CORNER POSTS INTO POSITION

ASSEMBLY STAGE 10

LOCATE AND SECURE FLOOR HOLDERS (3) AT EACH LOCATION INDICATED.




! THESE COMPONENTS ARE TO LOCATE THE FLOOR, DETERMINE APPROPRIATE LEVEL FROM 3 OPTIONS AVAILABLE !



10A

DETERMINE DESIRED LEVEL FOR FLOOR FROM 3 OPTIONS AVAILABLE.

! THIS WILL OBVIOUSLY BE DETERMINED BY WHAT WILL BE PLANTED.





10B


SECURE EACH FLOOR HOLDER (3) USING THE TYPICAL FIXING METHOD SHOWN.

ASSEMBLY STAGE 11

LOCATE AND ATTACH FLOOR BRACE (4).





SLOT FLOOR BRACE (4) INTO FLOOR HOLDERS (3) AS SHOWN ABOVE.




FLOOR BRACE IN POSITION

ASSEMBLY STAGE 12 LOCATE FLOOR PANEL (9).



11A

BEND ALL FLOOR PANEL (9) AIR BENDS DOWN INTO POSITION AS SHOWN.
❗ ENSURE PANEL IS IN CORRECT ORIENTATION WITH RECESS FACING DOWN.





11B

LOCATE AND ATTACH FLOOR PANEL (9) BY SLOTTING AIR BEND TABS INTO EACH FLOOR HOLDER SLOTS.

ASSEMBLY STAGE 13

LOCATE AND INSERT CORNER CAPS (6).



LOCATE AND INSERT END CAPS (6) AT EACH CORNER POST AS SHOWN.




IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE
FIT AND TIGHTEN ALL FASTENERS.
ONCE ALL FASTENERS HAVE BEEN CHECKED AND ARE
SECURE THE ASSEMBLY IS COMPLETE.


IMPORTANT: PLEASE BE AWARE THIS DOCUMENT IS A GUIDE TO THE RECOMMENDED ASSEMBLY SEQUENCE FOR OUR PLANTER RANGE.

The document consists of two sections, Section 1 is for our 500 x 500 x 400mm & 600 x 600 x 400mm range and Section 2 is for our 800 x 400 x 400mm & 1200 x 400 x 400mm range, the diagrams used in each section illustrate the recommended assembly sequence, your Planter may have components that differ from those shown, this will not change the procedure and any differences will be detailed at the relevant stage of assembly.

Section 1: Page 1 - 14




500 x 500 x 400mm Planter




600 x 600 x 400mm Planter

Section 2: Page 15 - 28



800 x 400 x 400mm Planter



1200 x 400 x 400mm Planter


SECTION 2: PARTS LIST FOR 800 x 400 x 400mm PLANTER AND 1200 x 400 x 400mm PLANTER.

PLEASE NOTE: PARTS MAY DIFFER VISUALLY BUT THE ASSEMBLY PROCESS IS IDENTICAL FOR BOTH PRODUCTS, ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE.

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION


1 - FRONT / REAR FLOOR RAIL

Qty: x2




2 - SIDE FLOOR RAIL

Qty: x2



3 - CORNER POST

Qty: x4




4 - FRONT / REAR FLOOR HOLDER

Qty: x2


800mm PLANTER

1200mm PLANTER



5 - SIDE FLOOR HOLDER


Qty: x2



6 - FLOOR BRACE

800mm Qty: x1

1200mm Qty: x2




7 - FLOOR CORNER BRACKET

Qty: x4




8 - CORNER CAP

Qty: x4




9 - BACK PANEL

Qty: x1




10 - FRONT PANEL

Qty: x1



11 - SIDE PANEL

Qty: x2




12 - FLOOR PANEL

Qty: x1

800mm PLANTER

1200mm PLANTER



FIXING KIT

Part Ref: FK1

M4 x 8mm Roofing Bolt

Qty: x36



Part Ref: FK2

M4 x 10mm Roofing Bolt

Qty: x18



Part Ref: FK3



M4 Serrated Flange Nut

Qty: x53




ASSEMBLY STAGE 1

LOCATE AND SECURE A FLOOR CORNER BRACKET (7) AT EACH LOCATION INDICATED.





SECURE EACH CORNER BRACKET (7) AS SHOWN ABOVE.




PLEASE NOTE: TYPICAL FIXING METHOD, ENSURE CORRECT FIXING IS USED (FK2).

ASSEMBLY STAGE 2

LOCATE AND LOOSELY ATTACH FRONT PANEL (10).





2A LOCATE FRONT PANEL (10) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.




2B LOOSELY ATTACH FRONT PANEL AT EACH LOCATION INDICATED AS SHOWN.

ASSEMBLY STAGE 3
LOCATE AND LOOSELY ATTACH BACK PANEL (9).





LOCATE BACK PANEL (9) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.




LOOSELY ATTACH BACK PANEL AT EACH LOCATION INDICATED AS SHOWN.

ASSEMBLY STAGE 4
LOCATE AND LOOSELY ATTACH SIDE PANEL (11).





LOCATE SIDE PANEL (11) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.
⚠ ENSURE TABS ARE LOCATED AS SHOWN BEFORE SECURING.




LOOSELY ATTACH SIDE PANEL AT EACH LOCATION INDICATED ONLY, DO NOT ATTACH TABS AT THIS STAGE.

ASSEMBLY STAGE 5
LOCATE AND LOOSELY ATTACH SIDE PANEL (11).





LOCATE SIDE PANEL (11) INTO FLOOR RAIL CHANNEL AS SHOWN ABOVE.
⚠ ENSURE TABS ARE LOCATED AS SHOWN BEFORE SECURING.



LOOSELY ATTACH SIDE PANEL AT EACH LOCATION INDICATED ONLY, DO NOT ATTACH TABS AT THIS STAGE.

ASSEMBLY STAGE 6



LOOSELY ATTACH FRONT, REAR AND SIDE PANEL TABS AT EACH LOCATION INDICATED.



LOOSELY ATTACH FRONT, REAR AND SIDE PANEL TABS AT EACH LOCATION INDICATED.

ASSEMBLY STAGE 7



LOOSELY ATTACH FRONT, REAR AND SIDE PANELS AT EACH LOCATION INDICATED.



LOOSELY ATTACH FRONT, REAR AND SIDE PANELS AT EACH LOCATION INDICATED.

ASSEMBLY STAGE 8

LOOSELY ATTACH FRONT, REAR AND SIDE PANELS AT EACH LOCATION INDICATED.



LOOSELY ATTACH FRONT, REAR AND SIDE PANELS AT EACH LOCATION INDICATED.






IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE
FIT AND TIGHTEN ALL FASTENERS.


ASSEMBLY STAGE 9

LOCATE AND ATTACH A CORNER POST (3) AT EACH LOCATION INDICATED.




ASSEMBLY STAGE 10

LOCATE AND SECURE FLOOR HOLDERS (4 & 5) AT EACH LOCATION INDICATED.




! THESE COMPONENTS ARE TO LOCATE THE FLOOR, DETERMINE APPROPRIATE LEVEL FROM 3 OPTIONS AVAILABLE !



10A

DETERMINE DESIRED LEVEL FOR FLOOR FROM 3 OPTIONS AVAILABLE.

! THIS WILL OBVIOUSLY BE DETERMINED BY WHAT WILL BE PLANTED.





10B


SECURE EACH FLOOR HOLDER USING THE TYPICAL FIXING METHOD SHOWN.

ASSEMBLY STAGE 11

LOCATE AND ATTACH FLOOR BRACE (6), PLEASE NOTE FOR THE 1200mm PLANTER x2 ARE REQUIRED.





SLOT FLOOR BRACE (6) INTO FLOOR HOLDERS AS SHOWN ABOVE.



FLOOR BRACE IN POSITION


ASSEMBLY STAGE 12

LOCATE FLOOR PANEL (12), PLEASE NOTE THE 1200mm FLOOR PANEL WILL HAVE x3 STRENGTHENING RECESSES.



11A

BEND ALL FLOOR PANEL (12) AIR BENDS DOWN INTO POSITION AS SHOWN.
 ① ENSURE PANEL IS IN CORRECT ORIENTATION WITH RECESS FACING DOWN.





11B

LOCATE AND ATTACH FLOOR PANEL (12) BY SLOTTING AIR BEND TABS INTO EACH FLOOR HOLDER SLOTS.

ASSEMBLY STAGE 13

LOCATE AND INSERT CORNER CAPS (8).



LOCATE AND INSERT END CAPS (8) AT EACH CORNER POST AS SHOWN.



IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE
FIT AND TIGHTEN ALL FASTENERS.
ONCE ALL FASTENERS HAVE BEEN CHECKED AND ARE
SECURE THE ASSEMBLY IS COMPLETE.

Caring for your HEX Living product

Your HEX Living product is designed to stand the test of time, which is why we're happy to offer a lifetime warranty on our products. With zero maintenance required, simply assemble your HEX Living product, and enjoy putting it to great use in your garden.

Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:

- Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt or mud simply wipes away.
- If you've purchased a HEX Living metal storage solution, periodically clear the roof of fallen leaves.
- If your product has guttering, remove leaves and garden debris as you would on your home.

Ensure you have registered your HEX Living product

Using the unique serial number found on the cover of this document, please visit www.hexliving.co.uk to register your product and access the HEX Living lifetime warranty and video instructions.

