

Bromley

Horizontal Metal Storage Shed Assembly Guide



IMPORTANT: PLEASE REGISTER YOUR HEX LIVING PRODUCT AFTER ASSEMBLY

Using the unique serial number, simply register your product at www.hexliving.co.uk or use the QR code above to access the HEX Living lifetime warranty and online support.

Affix Serial Number
HERE



PLEASE READ THIS DOCUMENT FULLY PRIOR TO STARTING ASSEMBLY PROCEDURE

The objective of this instruction is to illustrate the recommended assembly sequence for this product, any deviation from this will be the sole responsibility of whoever carries out the assembly.

IMPORTANT: IT IS ADVISABLE THAT THE PRODUCT IS ASSEMBLED AT, OR AS CLOSE AS POSSIBLE TO WHERE IT WILL BE FINALLY LOCATED

Ensure there is adequate clearance where the product is to be located:

Exterior dimensions including overhang (W x D x H)	1950 x 1000 x 1358mm
Footprint dimensions (W x D)	1900 x 900mm
Clearance required for door to open (W x H)	Doors open outwards 1655 x 1254mm
Clearance required for lid to open (W x H)	Lid opens 1950 x 2165mm

TWO PERSON ASSEMBLY

Most procedures will not require two people but it may be easier to have assistance.



PERSONAL PROTECTION EQUIPMENT

We advise appropriate personal protective equipment is worn during assembly including eye protection and gloves.



Eye Protection

Gloves

CARING FOR YOUR HEX LIVING PRODUCT

Your **HEX Living** product is designed to stand the test of time, which is why we're happy to offer a lifetime warranty on our products. With zero maintenance required, simply assemble your HEX Living product and enjoy putting it to great use in your garden.

- Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:
- Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt or mud simply wipes away.
- If your product has guttering, remove leaves and garden debris as you would on your home.

WARNINGS AND ADVISORIES

Do not try to install the shed alone. If the shed falls, it could cause serious injuries and damages!

Select a dry and calm day for your assembly, do not try to install this product in windy conditions!

- Please read the manual carefully before assembling, (we recommend keeping the manual for future use).

We advise a flat hard floor surface, preparing suitable area for assembly.

- Place all parts out carefully, ideally on a soft surface to protect parts from getting damaged.
- Please check part quantities before assembling, contact customer service if any parts are missing or damaged.

PRODUCT REGISTRATION

IMPORTANT: Thank you for purchasing our **Hixon Shed**, ensure you have registered your HEX Living product using the unique serial number found on the cover of this document, please visit www.hexliving.co.uk to register your product and access the HEX Living lifetime warranty.

GROUND ANCHOR KIT

A Ground Anchor Kit is supplied, this is to secure the product to a solid concrete base, the shed has x4 clamp plates in each corner.

We strongly advise that the shed is anchored using this kit.

The diagram illustrates the typical fixing method, once the shed is assembled, access the clamp brackets by removing the appropriate floor panel and secure as required.

GROUND ANCHOR KIT 0205-56

Part Ref: FK8

M8 x 50mm Coach Screw


Qty: x4



Part Ref: FK7

Expansion Plug

Qty: x4




Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION



Part Ref: 0204-01

Qty: x2





Part Ref: 0204-02

Qty: x2




Part Ref: 0204-05

Qty: x1





Part Ref: 0203-03

Qty: x4





Part Ref: 0204-10 (1237mm Long)

Qty: x2





Part Ref: 0204-71

Qty: x1





Part Ref: 0204-11 (1302mm Long)

Qty: x2





Part Ref: 0204-06

Qty: x2



Part Ref: 0204-67

Qty: x1




Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION



Part Ref: 0204-18

Qty: x1




Part Ref: 0204-19 (L/H)

Qty: x1




Part Ref: 0204-12 (R/H)

Qty: x1




Part Ref: 0204-08 (824mm Wide)

Qty: x2




Part Ref: 0204-13 (L/H)

Qty: x1





Part Ref: 0204-09 (625mm Wide)

Qty: x2




Part Ref: 0204-15 (R/H)

Qty: x1



Part Ref: 0204-54 (616mm Wide)

Qty: x1




Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION


Part Ref: 0204-17

Qty: x1




Part Ref: 0204-33

Qty: x2




Part Ref: 0204-34

Qty: x2




Part Ref: 0204-21 (R/H)

Qty: x1




Part Ref: 0204-23

Qty: x1




Part Ref: 0204-22 (L/H)

Qty: x1




Part Ref: 0204-24

Qty: x1




Part Ref: 0204-47

Qty: x1




Part Ref: 0204-59

Qty: x2



Part Ref: 0204-50

Qty: x1



Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION

Part Ref: 0204-46

Qty: x1




Part Ref: 0204-65

Qty: x6



Part Ref: 0204-56

Qty: x1



Part Ref: 0205-68

Qty: x8




Part Ref: 0205-66

Qty: x2



Part Ref: 0205-63

Qty: x2




Part Ref: 0204-30

Qty: x4



Part Ref: 0204-25

Qty: x2




Part Ref: 0204-62

Qty: x3




Part Ref: 0204-57

Qty: x2




Part Ref: 0204-63

Qty: x3



Part Ref: 0204-58 (Assembly)

Qty: x1



Part Ref: 0206-28 (Assembly)

Qty: x1



Assembly Guide

ENSURE ALL ITEMS LISTED ARE PRESENT PRIOR TO STARTING ASSEMBLY PROCEDURE

SCALE OF ITEMS WILL VARY TO AID VISUAL IDENTIFICATION

Part Ref: 0203-40




Qty: x4

Part Ref: 511-0023



Qty: x4

Part Ref: 0203-33 (Assembly)




Qty: x1

Part Ref: 0204-51



Qty: x2

Part Ref: 0203-34 (Assembly)




Qty: x1

Part Ref: 0204-66



Qty: x2

Part Ref: 0203-35



Qty: x2

FIXING KIT 0204-64

Part Ref: FK1



M4 x 10mm Roofing Bolt

Qty: x107

Part Ref: FK2



M4 x 12mm Roofing Bolt

Qty: x22

Part Ref: FK3



No.8 x 13mm Eco Fix

Qty: x7

Part Ref: FK4



M4 x 12mm C'Sunk Pozi Pan

Qty: x30

Part Ref: FK5



M5 x 16mm Button Head Socket

Qty: x11

Part Ref: FK6



M8 x 20mm Button Head Socket

Qty: x4

Part Ref: FK7



M4 Serrated Flange Nut

Qty: x150

Part Ref: FK8



M8 Serrated Flange Nut

Qty: x9

Part Ref: FK9



M8 Nyloc Nut

Qty: x4

Part Ref: FK12



M4 x 16mm Cap Screw

Qty: x2

GROUND ANCHOR KIT: 0203-48

Part Ref: FK10



Expansion Plug

Qty: x4


Part Ref: FK11



M8 x 50mm Coach Screw


Qty: x4

Part Ref: 0203-32 (Assembly)



Qty: x1

Part Ref: 0203-41



Qty: x1

Part Ref: 0203-57





Qty: x4


Assembly Guide

ASSEMBLY STAGE 1

LOCATE AND SECURE A CORNER BRACE 0203-03 AT EACH LOCATION INDICATED.



SECURE EACH CORNER BRACE 0203-03 AS SHOWN ABOVE.






PLEASE NOTE: SECTION VIEW OF TYPICAL FIXING METHOD.

Assembly Guide

ASSEMBLY STAGE 2

LOCATE SIDE WALL PANEL 0204-08 (824mm WIDE), PLEASE NOTE EACH PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM SO CAN BE LOCATED EITHER WAY.





LOCATE SIDE WALL PANEL 0204-08 INTO POSITION AS SHOWN ABOVE.
IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.

LOOSELY ATTACH SIDE WALL PANEL ONTO FLOOR RAIL AT x3 LOCATIONS INDICATED.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 3

LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0204-06 ONTO SIDE WALL.



LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0204-06 AS SHOWN AT x3 LOCATIONS INDICATED ABOVE.



LOOSELY ATTACH AT x3 LOCATIONS INDICATED ONLY.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.

Assembly Guide



ASSEMBLY STAGE 4

LOCATE AND LOOSELY ATTACH CORNER POSTS 0204-10 (1237mm) & 0204-11 (1302mm LONG) ONTO SIDE WALL.




0204-11 (1302mm LONG)
x3 HOLES AT TOP

0204-10 (1237mm LONG)
x2 HOLES AT TOP



LOCATE CORNER POSTS 0204-10 & 0204-11 AS SHOWN AT x2 LOCATIONS ABOVE.





LOOSELY ATTACH CORNER POSTS AT x2 LOCATIONS INDICATED ONLY.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 5

LOCATE BACK WALL PANEL 0204-09 (625mm WIDE), PLEASE NOTE THE PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM BUT ENSURE IT IS LOCATED AS INSTRUCTED.



LOCATE FIRST BACK WALL PANEL 0204-09 (625mm WIDE) AS SHOWN ABOVE. **IMPORTANT:** ENSURE PANEL IS IN THE CORRECT ORIENTATION.





LOOSELY ATTACH BACK WALL PANEL AT x3 LOCATIONS INDICATED ONLY. **IMPORTANT:** ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 6

LOCATE AND LOOSELY ATTACH LONG CENTRE BRACE 0204-05 ONTO BACK WALL PANEL.



LOCATE AND LOOSELY ATTACH LONG CENTRE BRACE 0204-05 AS SHOWN AT x2 LOCATIONS INDICATED ABOVE ONLY.





LOOSELY ATTACH AT x2 LOCATIONS INDICATED ONLY.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.

Assembly Guide

ASSEMBLY STAGE 7

LOCATE BACK WALL MIDDLE PANEL 0204-54 (616mm WIDE), PLEASE NOTE THE PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM BUT ENSURE IT IS LOCATED AS INSTRUCTED.




LOCATE AND LOOSELY ATTACH BACK WALL MIDDLE PANEL AT x3 LOCATIONS. LOOSELY ATTACH AT x3 LOCATIONS INDICATED ONLY.
IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.


Assembly Guide

ASSEMBLY STAGE 8

LOCATE BACK WALL PANEL 0204-09 (625mm WIDE), PLEASE NOTE THE PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM, BUT ENSURE IT IS LOCATED AS INSTRUCTED.



0204-09






LOCATE AND LOOSELY ATTACH BACK WALL MIDDLE PANEL AT x3 LOCATIONS. LOOSELY ATTACH AT x3 LOCATIONS INDICATED ONLY.
IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.


Assembly Guide

ASSEMBLY STAGE 9

LOCATE AND LOOSELY ATTACH CORNER POST 0204-11 (1302mm LONG) ONTO SIDE WALL.



LOCATE CORNER POST 0204-11 (1302mm) AS SHOWN ABOVE.





LOOSELY ATTACH CORNER POST AT LOCATION INDICATED ONLY.


Assembly Guide

ASSEMBLY STAGE 10

LOCATE SIDE WALL PANEL 0204-08 (824mm WIDE), PLEASE NOTE THE PANEL DOES NOT HAVE A SPECIFIC TOP OR BOTTOM SO CAN BE LOCATED EITHER WAY.



LOCATE SIDE WALL PANEL 0204-08 INTO POSITION AS SHOWN ABOVE.
IMPORTANT: ENSURE PANEL IS IN THE CORRECT ORIENTATION.





LOOSELY ATTACH SIDE WALL PANEL ONTO FLOOR RAIL AT x4 LOCATIONS INDICATED.
IMPORTANT: DO NOT SECURE AT OUTER FIXING POINTS AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 11

LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0204-06 ONTO SIDE WALL.



LOCATE AND LOOSELY ATTACH SHORT CENTRE BRACE 0204-06 AS SHOWN AT x3 LOCATIONS INDICATED ABOVE.



LOOSELY ATTACH AT x3 LOCATIONS INDICATED ONLY.

IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.



Assembly Guide

ASSEMBLY STAGE 12


LOCATE AND LOOSELY ATTACH CORNER POST 0204-10 (1237mm) ONTO SIDE WALL.



0204-10 (1237mm LONG)
x2 HOLES AT TOP



LOCATE CORNER POST 0204-10 (1237mm) AS SHOWN ABOVE.





LOOSELY ATTACH CORNER POST AT LOCATION INDICATED ONLY.


Assembly Guide

ASSEMBLY STAGE 13

LOCATE AND LOOSELY ATTACH A CENTRE BRACE REAR BRACKET 0204-33.



LOCATE AND LOOSELY ATTACH CENTRE BRACE CORNER BRACKET 0204-33 AS SHOWN ABOVE.





LOOSELY ATTACH CENTRE BRACE CORNER BRACKET 0204-33 AT REMAINING FIXING POINTS AS SHOWN.


Assembly Guide

ASSEMBLY STAGE 14

LOCATE AND LOOSELY ATTACH RIGHT-HAND TOP RAIL 0204-15.



SLOT RIGHT-HAND TOP RAIL 0204-15 INTO POSITION AS SHOWN ABOVE.





LOOSELY ATTACH AT x3 LOCATIONS INDICATED.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 15

LOCATE AND LOOSELY ATTACH LEFT-HAND TOP RAIL 0204-19.



15A
SLOT LEFT-HAND TOP RAIL 0204-19 INTO POSITION AS SHOWN ABOVE.




15B
LOOSELY ATTACH AT x3 LOCATIONS INDICATED.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 16


LOCATE AND LOOSELY ATTACH REAR TOP RAIL 0204-18.



ONLY ATTACH AT FIXING POINTS CIRCLED



16A
SLOT REAR TOP RAIL 0204-18 INTO POSITION AS SHOWN ABOVE.





16B
LOOSELY ATTACH AT x4 LOCATIONS INDICATED.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.

Assembly Guide

ASSEMBLY STAGE 17

LOCATE AND LOOSELY ATTACH LEFT-HAND DOOR POST 0204-13.



LOCATE LEFT-HAND DOOR POST 0204-13 AS SHOWN ABOVE.



SECURE DOOR POST AT x1 LOCATION INDICATED.

IMPORTANT: ONLY ATTACH AT FIXING POINT INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 18

LOCATE AND LOOSELY ATTACH RIGHT-HAND DOOR POST 0204-12.



LOCATE RIGHT-HAND DOOR POST 0204-12 AS SHOWN ABOVE.





SECURE DOOR POST AT x1 LOCATION INDICATED.

IMPORTANT: ONLY ATTACH AT FIXING POINT INDICATED AT THIS STAGE.


Assembly Guide

ASSEMBLY STAGE 19

LOCATE AND LOOSELY ATTACH x1 CENTRE BRACE FRONT BRACKET 0204-34 AT THE LOCATION INDICATED.



LOOSELY ATTACH CENTRE BRACE FRONT BRACKET 0204-34 AS SHOWN ABOVE.





LOOSELY ATTACH AT REMAINING FIXING POINT AS SHOWN.


Assembly Guide

ASSEMBLY STAGE 20

LOCATE AND LOOSELY ATTACH x1 CENTRE BRACE FRONT BRACKET 0204-34 AT THE LOCATION INDICATED.



LOOSELY ATTACH CENTRE BRACE FRONT BRACKET 0204-34 AS SHOWN ABOVE.






LOOSELY ATTACH AT REMAINING FIXING POINT AS SHOWN.

Assembly Guide

ASSEMBLY STAGE 21

LOCATE AND LOOSELY ATTACH FRONT TOP RAIL 0204-67.





SLOT FRONT TOP RAIL 0204-67 INTO POSITION AS SHOWN ABOVE. SECURE FRONT TOP RAIL AT x2 LOCATIONS INDICATED.


Assembly Guide

ASSEMBLY STAGE 22

LOCATE AND LOOSELY ATTACH A TOP FRONT SUPPORT BRACKET 0204-59 AT EACH LOCATION INDICATED.



LOCATE AND LOOSELY ATTACH EACH TOP FRONT SUPPORT BRACKET AS SHOWN USING THE TYPICAL FIXING METHOD SHOWN.





LOOSELY ATTACH AT EACH FIXING POINT USING TYPICAL FIXING METHOD ABOVE.




Assembly Guide

ASSEMBLY STAGE 23


LOCATE AND SECURE HINGE BRACKET ASSEMBLIES.



! DO NOT USE CRANDED END FOR STAGE 23A !



23A
SECURE HINGE BRACKET PIVOTS 0204-47 & 0204-50 ONTO EACH HINGE BRACKET BASE 0204-23 & 0204-24 AS SHOWN.





23B
SECURE BALL STUDS 0205-68 ONTO EACH HINGE BRACKET PIVOT AND HINGE BRACKET BASE AS SHOWN.


Assembly Guide

ASSEMBLY STAGE 24

LOCATE AND LOOSELY ATTACH HINGE BRACKET ASSEMBLIES AT EACH LOCATION INDICATED.



LOCATE AND LOOSELY ATTACH HINGE BRACKET ASSEMBLY ON
RIGHT-HAND SIDE OF STORAGE UNIT AS SHOWN.





LOCATE AND LOOSELY ATTACH HINGE BRACKET ASSEMBLY ON
LEFT-HAND SIDE OF STORAGE UNIT AS SHOWN.

Assembly Guide

ASSEMBLY STAGE 25

LOOSELY ATTACH AT ALL UPPER FIXING POINTS INDICATED.



LOOSELY ATTACH AT x12 UPPER FIXING POINTS INDICATED AS SHOWN ABOVE.



IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE FIT AND TIGHTEN ALL FASTENERS.



ONCE ALL FASTENERS HAVE BEEN CHECKED AND ARE SECURE PROCEED ONTO STAGE 26.

ONCE UPPER FIXING POINTS ARE ATTACH TIGHTEN ALL FASTENERS.

Assembly Guide

ASSEMBLY STAGE 26

INSERT AN END CAP 0204-30 AT EACH LOCATION INDICATED.





INSERT AN END CAP 0204-30 INTO EACH LOCATION INDICATED,
AS SHOWN.


Assembly Guide

ASSEMBLY STAGE 27

ASSEMBLE AND SECURE HINGE BRACKET BASE 0204-46 AND HINGE BRACKET PIVOT 0204-56.



27A
ASSEMBLE HINGE BRACKET BASE 0204-46 AND HINGE BRACKET PIVOT 0204-56 AS SHOWN.





27B
SECURE HINGE BRACKET BASE 0204-46 ONTO STORAGE UNIT, AS SHOWN.


Assembly Guide

ASSEMBLY STAGE 28

LOCATE AND SECURE DOOR STRIP 0204-71.



LOCATE DOOR STRIP 0204-71 AS SHOWN. **IMPORTANT:** ENSURE DOOR STRIP IS PUSHED AGAINST DOOR POST RETURN.





SECURE DOOR STRIP ONTO FLOOR PANELS AT x2 LOCATIONS INDICATED, USE EXISTING HOLE AS A LOCATION GUIDE.

Assembly Guide


ASSEMBLY STAGE 29

LOCATE AND SECURE T-HANDLE 0204-58.




29A

LOCATE T-HANDLE AND T-HANDLE GASKET 0204-58 INTO LID 0204-17 APERTURE AS SHOWN.



29B

SECURE T-HANDLE USING T-HANDLE ASSEMBLY NUT AS SHOWN.





29C

SECURE 2 POINT CAM 0206-28 ONTO T-HANDLE USING BOLT AS SHOWN FROM T-HANDLE ASSEMBLY.


Assembly Guide

ASSEMBLY STAGE 30


LOCATE A BUMPER STOP 0204-61 AND GUIDE BUSH 0204-51 AT EACH LOCATION INDICATED.



APPLY RUBBER FOOT 0204-66 ONTO LID AT LOCATIONS SHOWN USE EXISTING HOLE AS A LOCATION GUIDE.



LOCATE GUIDE BUSH 0204-51 INTO LID TAB AS SHOWN.





LOCATE GUIDE BUSH 0204-51 INTO LID TAB AS SHOWN.


Assembly Guide

ASSEMBLY STAGE 31

LOCATE AND SECURE RODS 0204-57 AT EACH LOCATION INDICATED.



SLOT EACH ROD 0204-57 INTO POSITION, AS SHOWN ABOVE.





SECURE ROD ONTO 2 POINT CAM USING E-CLIPS (PART OF 0206-28 ASSEMBLY).


Assembly Guide

ASSEMBLY STAGE 32

ASSEMBLE BIN LID CLIP ASSEMBLIES AND ATTACH ONTO LID AT EACH LOCATION INDICATED.



ASSEMBLE x3 BIN LID CLIP ASSEMBLIES AS SHOWN ABOVE.





ATTACH BIN LID CLIP ASSEMBLIES ONTO LID AT EACH LOCATION INDICATED.


Assembly Guide

ASSEMBLY STAGE 33

LOCATE LID ONTO STORAGE UNIT AND SECURE HINGE BRACKET AT EACH LOCATION INDICATED.




LOCATE LID ASSEMBLY ONTO STORAGE UNIT AS SHOWN.




SECURE HINGE BRACKET ONTO LID ASSEMBLY, DO THIS WITH THE LID DOWN.
IMPORTANT: ONLY ATTACH AT FIXING POINTS INDICATED AT THIS STAGE.

ASSEMBLY STAGE 34


SECURE LID AT REMAINING HINGE FIXING POINTS.



! IMPORTANT: ENSURE LID IS SUPPORTED BY ANOTHER PERSON WHILST CARRYING OUT THIS PROCEDURE



SECURE EACH HINGE BRACKET AT REMAINING FIXING AS SHOWN ABOVE.




SECURE CENTRE HINGE BRACKET AS SHOWN ABOVE.


Assembly Guide

ASSEMBLY STAGE 35


LOCATE AND GAS STRUTS 0204-25 AT EACH LOCATION INDICATED.



IMPORTANT: ENSURE LID IS SUPPORTED BY ANOTHER PERSON WHILST CARRYING OUT THIS PROCEDURE



FIX GAS STRUT 0204-25 ONTO BALL STUDS LOCATED ON LEFT-HAND SIDE OF UNIT.
IMPORTANT: ENSURE CORRECT GAS STRUT IS USED, THIS IS THE THICKER ONE.





FIX GAS STRUT 0204-25 ONTO BALL STUDS LOCATED ON RIGHT-HAND SIDE OF UNIT.
IMPORTANT: ENSURE CORRECT GAS STRUT IS USED, THIS IS THE THICKER ONE.


Assembly Guide

ASSEMBLY STAGE 36

LOCATE AND SECURE EURO MORTICE LOCK 0203-32 RIGHT-HAND DOOR APERTURE AS SHOWN.



LOCATE EURO MORTICE LOCK 0203-32 RIGHT-HAND DOOR APERTURE AS SHOWN.




SECURE EURO MORTICE LOCK 0203-32 AT x2 LOCATIONS INDICATED ABOVE.
SEE FOLLOWING DATA SHEET FOR COMPLETION OF MORTICE LOCK INSTALLATION.


Assembly Guide

ASSEMBLY STAGE 36 CONTINUED


LOCATE AND SECURE EURO ESCUTCHEON 0203-34 AND SECURE DOOR HANDLE ASSEMBLY 0203-33 AS SHOWN.




LOCATE AND SECURE EURO ESCUTCHEON 0203-34 AS SHOWN.
PLEASE NOTE: FIXING IS PART OF THE ESCUTCHEON ASSEMBLY.




LOCATE EURO ESCUTCHEON COVER 0203-34 ONTO EURO ESCUTCHEON AS SHOWN.
PLEASE NOTE: THESE ARE PUSHED ON AND WILL CLICK INTO PLACE.




LOCATE EURO CYLINDER 0203-36 INTO DOOR APERTURE.
IMPORTANT: ENSURE COVER IS FITTED AS SHOWN.



SECURE EURO CYLINDER 0203-36 AS SHOWN ABOVE.
PLEASE NOTE: FIXING IS PART OF THE EURO MORTICE LOCK ASSEMBLY.



LOCATE AND SECURE DOOR HANDLE ASSEMBLY 0203-33 AS SHOWN.
PLEASE NOTE: FIXING IS PART OF THE HANDLE ASSEMBLY.






LOCATE COVER ONTO DOOR HANDLE AS SHOWN.
PLEASE NOTE: THESE ARE PUSHED ON AND WILL CLICK INTO PLACE.

Assembly Guide

ASSEMBLY STAGE 37

LOCATE AND SECURE DOOR BOLTS 0203-35, CATCH PLATE 0203-32 AND CATCH PLATE COVER 0203-41 AT EACH LOCATIONS INDICATED.




LOCATE AND SECURE CATCH PLATE 0203-32 AND CATCH PLATE COVER 0203-41 AS SHOWN ABOVE.

SECURED CATCH PLATE 0203-32 AS SEEN FROM FRONT.


Assembly Guide

ASSEMBLY STAGE 37 CONTINUED


LOCATE AND SECURE DOOR BOLTS 0203-35 AT BOTH LOCATIONS INDICATED.




SECURE THE FLUSH BOLT BODY 0203-35, USING PACKERS 0203-40 AS SHOWN ABOVE. ENSURE THE THREADED BOSS IS FACING THE HOLE IN THE DOOR.




37D
ENSURE THE LOCKING LEVER IS IN THE UNLOCKED POSITION, AS SHOWN ABOVE.



37E
THREAD THE LOCKING NUT ONTO THE DOOR BOLT AND INSERT THROUGH THE HOLE IN THE DOOR AND SCREW INTO THE BOLT BODY 0203-35.





37F
ADJUST THE DOOR BOLT UNTIL IT SITS FLUSH WITH THE EDGE OF THE DOOR. SECURE INTO POSITION WITH THE LOCKING NUT.




REPEAT 37C ~ 37F FOR LOWER FLUSH DOOR BOLT

ASSEMBLY STAGE 38

LOCATE AND SECURE DOOR HINGES ONTO DOOR ASSEMBLIES.



LOCATE DOOR HINGE PLATE 0203-37 WITHIN DOOR AS SHOWN.





SECURE DOOR HINGE PLATE AND HINGE 0203-27 AND 0203-28 AS SHOWN.
IMPORTANT: ENSURE CORRECT DOOR HINGE IS SECURED TO CORRECT DOOR.


Assembly Guide

ASSEMBLY STAGE 39

LOCATE AND SECURE A DOOR GROMMET 0203-57 AT EACH LOCATION INDICATED.



LOCATE DOOR GROMMET 0203-57 AT x2 LOCATIONS INDICATED.
PLEASE NOTE: 0203-35 FLUSH BOLTS ARE ALL IN THE UNLOCKED POSITIONS.







LOCATE DOOR GROMMET 0203-57 AT x2 LOCATIONS AS SHOWN.
PLEASE NOTE: THESE ARE PUSHED ON AND WILL CLICK INTO PLACE.

Assembly Guide

ASSEMBLY STAGE 40

LOCATE AND SECURE DOOR HINGE PLATE 0203-39 AND HINGE 0203-27 AT EACH LOCATION INDICATE.







POSITION DOOR HINGE PLATE 0203-39 WITHIN DOOR POST, USING FIXINGS FK4 & FK7 TO SECURE DOOR HINGE PLATE AND RH HINGE 0203-27, AS SHOWN IN 40C. **IMPORTANT:** ENSURE CORRECT DOOR HINGE PARTS ARE SECURED CORRECTLY.

Assembly Guide

ASSEMBLY STAGE 41

LOCATE AND SECURE DOOR HINGE PLATE 0203-39 AND HINGE 0203-28 AT EACH LOCATION INDICATE.





POSITION DOOR HINGE PLATE 0203-39 WITHIN DOOR POST, USING FIXINGS FK4 & FK7 TO SECURE DOOR HINGE PLATE AND LH HINGE 0203-28, AS SHOWN IN 41B. **IMPORTANT:** ENSURE CORRECT DOOR HINGE PARTS ARE SECURED CORRECTLY.


Assembly Guide

ASSEMBLY STAGE 42

LOCATE DOOR ASSEMBLIES
ONTO HINGES.





SLIDE EACH DOOR ASSEMBLY ONTO EACH OF THEIR RESPECTIVE
HINGES.




ASSEMBLED DOOR HINGE.

ASSEMBLY STAGE 43


SECURE GAS STRUT
BRACKETS 0205-66.



43
SECURE A BALL STUD 0205-68 ONTO EACH
GAS STRUT BRACKET 0205-66.



43B
DETERMINE DOOR OPENING ANGLE:
A: 90° OPENING OR B: 120° OPENING





43C
ALIGN EACH GAS STRUT BRACKET WITH RELEVANT FIXING
HOLES, SECURE USING TYPICAL FIXING METHOD ABOVE.


Assembly Guide

ASSEMBLY STAGE 44

LOCATE AND SECURE GAS STRUT 0205-63.



SECURE A BALL STUD 0205-68 ONTO GAS STRUT BRACKETS THAT ARE PRE-RIVETED ONTO EACH DOOR ASSEMBLY.




FIX EACH GAS STRUT 0205-63 ONTO BALL STUDS INDICATED ABOVE.
PLEASE NOTE: PUSHES DOWN ON DOOR AND UPWARDS ON DOOR FRAME.

Assembly Guide

ASSEMBLY STAGE 45

TEST ALL LOCKS / HANDLES AND TIGHTEN ALL FASTENERS TO COMPLETE ASSEMBLY



IMPORTANT

ADJUST ALL COMPONENTS FOR BEST POSSIBLE
FIT AND TIGHTEN ALL FASTENERS.

ONCE ALL FASTENERS HAVE BEEN CHECKED AND ARE
SECURE THE ASSEMBLY IS COMPLETE.

WE RECOMMEND YOU ANCHOR YOUR UNIT TO A SOLID
CONCRETE BASE, GUIDANCE CAN BE FOUND ON PAGE 'i'

NOTES

Caring for your HEX Living product

Your **HEX Living product** is designed to stand the test of time, which is why we're happy to offer a **lifetime warranty** on our products. With zero maintenance required, simply assemble your HEX Living product, and enjoy putting it to great use in your garden.

Periodically, you might want to give your product a clean, these simple care tips are not essential to the performance of your product:

- Remove surface dirt with plain water using a jet wash or sponge, the coating on our products will ensure dirt or mud simply wipes away.
- If you've purchased a HEX Living metal storage solution, periodically clear the roof of fallen leaves.
- If your product has guttering, remove leaves and garden debris as you would on your home.

Ensure you have registered your HEX Living product

Using the unique serial number found on the cover of this document, please visit www.hexliving.co.uk to register your product and access the HEX Living lifetime warranty and video instructions.

Customer Service: +44 (0) 1889 272 056

